_	۸.
(!)	L
V	٦)
- 1	-

	Application No.	Applicant(s)	
	10/765,254	HILL, HENRY ALLE Art Unit 2877 correspondence addresoplication. If not include in will be mailed in due to withdrawal from issue to withdrawal from issue in a mational stage application of the complying with the red complying w	N
Notice of Allowability	Examiner	Art Unit	•
	Patrick J. Connolly	2877	
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT Right of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	plication. If not include will be mailed in due o	d course. THIS
1. This communication is responsive to 16 August 2004.			
2. The allowed claim(s) is/are <u>1-16</u> .	•		
3. The drawings filed on 27 January 2004 are accepted by the	e Examiner.		
4. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 6. CORRECTED DRAWINGS (as "replacement sheets") mus (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner' Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in to the deponant of the	e been received. e been received in Application No cuments have been received in this of this communication to file a reply MENT of this application. Initted. Note the attached EXAMINER es reason(s) why the oath or declara st be submitted. Son's Patent Drawing Review (PTO s Amendment / Comment or in the Co 84(c)) should be written on the drawing the header according to 37 CFR 1.121(c) sit of BIOLOGICAL MATERIAL r	complying with the requirement of Notice action of the front (not the d).	uirements OTICE OF
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 4. ☑ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal P 6. Interview Summary Paper No./Mail Da 7. Examiner's Amendr 8. Examiner's Stateme 9. Other	(PTO-413), te ment/Comment	
	Super is	Tooley, Ir.	

Application/Control Number: 10/765,254

Art Unit: 2877

DETAILED ACTION

Allowable Subject Matter

Claims 1-16 allowed.

The following is an examiner's statement of reasons for allowance:

As to claim 1, the prior art of record, taken alone or in combination, fails to disclose or render obvious, a method of using an interferometric confocal microscope to measure the features of a trench or via including: focusing a measurement beam at a selected location at or near the bottom of the trench or via to excite one or more guidedwave modes within said trench or via; measuring properties of a return measurement beam that is produced when the measurement beam is focused at the selected location, said return measurement beam including a component corresponding to a radiated field from the one or more said guided-wave modes, in combination with the rest of the limitations of claim 1.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patrick J. Connolly whose telephone number is 571.272.2412. The examiner can normally be reached on 9:00 am - 7:00 pm Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory J. Toatley, Jr. can be reached on 571.272.2800 ext. 77. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

pjc*Psc* 07.15.7005